

Tira LED 24V DC - 18W/m - Monokromatski - 10mm - IP20 - Rolna 5 metara - 120ch/m

Product data

T° svjetlosti 1800°K (koristiti), 2400°K (koristiti), 2700°K (koristiti), 3000°K (koristiti), 4000°K (koristiti), 5000°K (koristiti), 6000K (koristiti), Ambra (koristiti)

Ljepilo 3M

Širina staze (mm) 10

Ugao otvaranja (°) 120

Certifikati CE, ROHS

Razred energetske efikasnosti A+ (2021)

Dimenzije (mm) LxIxh 5000x10

Prigušivo Da

Udaljenost reza (mm) 50

Efikasnost (Lm/w) 110

Frekvencija (Hz) 50 - 60

Učestalost korištenja normalan

Garancija Prema zakonskoj garanciji: 3 godine

IP IP20

Kelvin (K) 3000, 4000, 6000, 2700, 1800, 2400, 5000

N° Čipova/metr 120

Snaga/m (W/m) 18

Nominelni Napon (V) 24V DC

Vrsta LED-a SMD 2835

Tonalitet Topla bijela, Bijela hladna, Neutralna bijela, Bjela ekstra topla, Bijelo ekstra toplo plus

Spoljna upotreba Ne

Životni vijek (h) 25000

Product variants

Reference

Attributes

B1552-180

T° svjetlosti : 1800°K (koristiti)



B1552-240

T° svjetlosti : 2400°K (koristiti)



B1552-270

T° svjetlosti : 2700°K (koristiti)



B1552-5K

T° svjetlosti : 5000°K (koristiti)



B1552-AMB

T° svjetlosti : Ambra (koristiti)

B1552BC

T° svjetlosti : 3000°K (koristiti)



Reference	Attributes	
B1552BF	T° svjetlosti : 6000K (koristiti)	
B1552BN	T° svjetlosti : 4000°K (koristiti)	