





KIT - Recessed downlight ring Ø93mm (silver) + 5.4W GU10 Bulb + Socket

Complete lighting kit composed of: Fixed recessed trim Ø93mm with low UGR - Black color with a golden interior. 5.4W GU10 LED Bulb - Available in 3 shades: warm white, neutral, and cool GU10 lamp holders made of pre-wired ceramic.



Product data

Case color	White (use), Black (use), Silver (to use), Gold (to use)
Light temperature	3000°K (use), 4000°K (use), 6000K (use)
Opening angle (°)	100
Cap	GU10
Certs	CE, ROHS
Dimensions (mm) LxWxH	Aro: 93x53mm, Ø93x53
Cut distance (mm)	Ø85
Efficiency (Lm/w)	130
Guarantee	According to legal warranty: 3 years
IP	IP20
Kelvin (K)	4000, 6000, 2700
Kit	Yes
Material	Polycarbonate, Lightbulb: Glass
Material diffuser	Polycarbonate
Assembly	Recessed
Orientable	No
Key	Warm white, Cold white, Neutral white
UGR	UGR18
Power (W)	5.4
Outdoor Use	No



Product variants

Reference	Attributes	
K987-B-BC	Case color : White (use), Light temperature : 3000°K (use)	
K987-B-BF	Case color : White (use), Light temperature : 6000K (use)	
K987-B-BN	Case color : White (use), Light temperature : 4000°K (use)	
K987-D-BC	Case color : Gold (to use), Light temperature : 3000°K (use)	
K987-D-BF	Case color : Gold (to use), Light temperature : 6000K (use)	
K987-D-BN	Case color : Gold (to use), Light temperature : 4000°K (use)	
K987-N-BC	Case color : Black (use), Light temperature : 3000°K (use)	

Reference	Attributes	
		
K987-N-BF	Case color : Black (use), Light temperature : 6000K (use)	
		
K987-N-BN	Case color : Black (use), Light temperature : 4000°K (use)	
		
K987-P-BC	Case color : Silver (to use), Light temperature : 3000°K (use)	
		
K987-P-BF	Case color : Silver (to use), Light temperature : 6000K (use)	
		
K987-P-BN	Case color : Silver (to use), Light temperature : 4000°K (use)	