


KIT - Recessed downlight ring Ø93mm (white) + 5.4W GU10 Bulb + Socket

Complete lighting kit consisting of: Fixed recessed spotlight Ø93mm with low UGR - White color GU10 LED Bulb 5.4W - Available in 3 shades: warm white, neutral, and cool GU10 Lamp Holders made of pre-wired ceramic.



Product data

Case color	White (use), Black (use), White and Gold (use), White and Silver (to use), Black and White (use), White and Red (use)
Light temperature	3000°K (use), 4000°K (use), 6000K (use)
Opening angle (°)	100
Cap	GU10
Certs	CE, ROHS
Dimensions (mm) LxWxH	Ø93x53mm
Cut distance (mm)	Ø85
Efficiency (Lm/w)	130
Guarantee	According to legal warranty: 3 years
IP	IP20
Kelvin (K)	4000, 6000, 2700
Kit	Yes
Material	Polycarbonate, Lightbulb: Glass
Orientable	No
Power (W)	5.4
Key	Warm white, Cold white, Neutral white
UGR	UGR18
Outdoor Use	No



Product variants

Reference

Attributes

K930-85-R-B-BC

Case color : White (use), Light temperature : 3000°K (use)



Reference	Attributes	
		
K930-85-R-B-BF	Case color : White (use), Light temperature : 6000K (use)	
		
K930-85-R-B-BN	Case color : White (use), Light temperature : 4000°K (use)	
		
K930-85-R-BD-BC	Case color : White and Gold (use), Light temperature : 3000°K (use)	
		
K930-85-R-BD-BF	Case color : White and Gold (use), Light temperature : 6000K (use)	
		
K930-85-R-BD-BN	Case color : White and Gold (use), Light temperature : 4000°K (use)	
		
K930-85-R-BN-BC	Case color : Black and White (use), Light temperature : 3000°K (use)	
		
K930-85-R-BN-BF	Case color : Black and White (use), Light temperature : 6000K (use)	
		
K930-85-R-BN-BN	Case color : Black and White (use), Light temperature : 4000°K (use)	

Reference	Attributes	
K930-85-R-BP-BC	Case color : White and Silver (to use), Light temperature : 3000°K (use)	
K930-85-R-BP-BF	Case color : White and Silver (to use), Light temperature : 6000K (use)	
K930-85-R-BP-BN	Case color : White and Silver (to use), Light temperature : 4000°K (use)	
K930-85-R-BR-BC	Case color : White and Red (use), Light temperature : 3000°K (use)	
K930-85-R-BR-BF	Case color : White and Red (use), Light temperature : 6000K (use)	
K930-85-R-BR-BN	Case color : White and Red (use), Light temperature : 4000°K (use)	
K930-85-R-N-BC	Case color : Black (use), Light temperature : 3000°K (use)	
K930-85-R-N-BF	Case color : Black (use), Light temperature : 6000K (use)	

Reference	Attributes	
K930-85-R-N-BN	Case color : Black (use), Light temperature : 4000°K (use)	