




KIT - Recessed square downlight ring 93x93mm (black) + 5.4W GU10 Bulb + Socket

Komplet osvetlitve, ki obsega: Kvadratna nastavljiva downlight - Bela barva. GU10 LED žarnica 5.4W - Na voljo v 3 barvnih temperaturah: toplo belo, nevtrarno in hladno GU10 svetilke iz predžičene keramike.



Product data

Barva ohišja	Bela (uporabiti), Črno (uporabiti), Srebra (uporabiti)
T° svetlobe	3000°K (uporabiti), 4000°K (uporabiti), 6000K (uporabiti)
Pokrovček	GU10
Potrdila	CE, ROHS
Dimenzije (mm) LxLxh	93x93x29
Dimenzije rezanja (mm)	Ø75
Učinkovitost (Lm/w)	130
Garancija	Po zakonski garanciji: 3 leta
IP	IP20
Kelvin (K)	4000, 6000, 2700
Komplet	Da
Material	Polikarbonat, Žarnica: steklo
Material difuzor	Polikarbonat
Montiranje	Vgrajen
Usmerljiv	Da
Moč (W)	5,4
Tonaliteta	Topla bela, Bela hladnost, Bela nevtralna
Zunanja raba	Ne



Product variants

Reference

Attributes

Reference	Attributes	
		
K982-B-BC	Barva ohišja : Bela (uporabiti), T° svetlobe : 3000°K (uporabiti)	
		
K982-B-BF	Barva ohišja : Bela (uporabiti), T° svetlobe : 6000K (uporabiti)	
		
K982-B-BN	Barva ohišja : Bela (uporabiti), T° svetlobe : 4000°K (uporabiti)	
		
K982-N-BC	Barva ohišja : Črno (uporabiti), T° svetlobe : 3000°K (uporabiti)	
		
K982-N-BF	Barva ohišja : Črno (uporabiti), T° svetlobe : 6000K (uporabiti)	
		
K982-N-BN	Barva ohišja : Črno (uporabiti), T° svetlobe : 4000°K (uporabiti)	
		
K982-P-BC	Barva ohišja : Srebra (uporabiti), T° svetlobe : 3000°K (uporabiti)	

Reference	Attributes	
K982-P-BF	Barva ohišja : Srebra (uporabiti), T° svetlobe : 6000K (uporabiti)	
K982-P-BN	Barva ohišja : Srebra (uporabiti), T° svetlobe : 4000°K (uporabiti)	